

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

1 Identification

- **Product identifier**
- **Trade name:** Crisp Cedar Grove
- **Details of the supplier of the safety data sheet**
- **Supplier:**
 Cierra Candle & Soap Supplies
 2815 Baker Avenue, Suite 105
 Everett, WA 98201
 206-412-9810
- **Information department:** Regulatory Department
- **Emergency telephone number:**
 During normal opening times: Call Chemtrec Day or Night
 Domestic North America 800.424.9300/International 703.527.3887 (Collect calls accepted)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

Skin Irritation 2 H315 Causes skin irritation.
 Eye Irritation 2A H319 Causes serious eye irritation.
 Sensitization - Skin 1 H317 May cause an allergic skin reaction.
 Flammable Liquids 4 H227 Combustible liquid.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labeling:**
 LINALOOL
 HEXYL CINNAMIC ALDEHYDE
 FIR NEEDLE OIL SIBERIAN
 HEXYL SALICYLATE
 COUMARIN
 geraniol
 VERTOPIX
 ISO E SUPER
 CLOVE OIL
 GERANYL ACETATE
 ALLYL CYCLOHEXYL PROPIONATE
 TRIPLAL
 DAMASCONE BETA

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 1)

- **Hazard statements**

Combustible liquid.
 Causes skin irritation.
 Causes serious eye irritation.
 May cause an allergic skin reaction.

- **Precautionary statements**

Keep away from flames and hot surfaces. – No smoking.
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Wash thoroughly after handling.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If on skin: Wash with plenty of water.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing.
 Take off contaminated clothing and wash it before reuse.
 If skin irritation or rash occurs: Get medical advice/attention.
 Specific treatment (see on this label).
 If eye irritation persists: Get medical advice/attention.
 Wash contaminated clothing before reuse.
 In case of fire: Use CO₂, powder or water spray to extinguish.
 Store in a well-ventilated place. Keep cool.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	2	Fire = 2
REACTIVITY	0	Reactivity = 0

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

120-51-4	BENZYL BENZOATE	>25-≤50%
	⚠ Acute Toxicity - Oral 4, H302	
88-41-5	VERDOX	>10-≤25%
	Flammable Liquids 4, H227	
18479-58-8	2,6-Dimethyl-7-octen-2-ol	>2.5-<10%
	⚠ Skin Irritation 2, H315; Eye Irritation 2A, H319; Flammable Liquids 4, H227	

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

		(Contd. of page 2)
8000-27-9	CEDARWOOD OIL VIRGINIA ⚠️ Aspiration Hazard 1, H304	>2.5-≤10%
6413-10-1	FRUCTONE Flammable Liquids 4, H227	>2.5-≤10%
78-70-6	LINALOOL ⚠️ Sensitization - Skin 1B, H317; Flammable Liquids 4, H227	≥1-≤2.5%
101-86-0	HEXYL CINNAMIC ALDEHYDE ⚠️ Sensitization - Skin 1, H317	≥1-≤2.5%
7452-79-1	ETHYL 2 METHYL BUTYRATE ⚠️ Flammable Liquids 3, H226	≤2.5%
141-97-9	ETHYL ACETOACETATE Flammable Liquids 4, H227	≤2.5%
106-27-4	AMYL BUTYRATE ⚠️ Flammable Liquids 3, H226	≤2.5%
659-70-1	ISOAMYL ISOVALERATE Flammable Liquids 4, H227	≤2.5%
6259-76-3	HEXYL SALICYLATE ⚠️ Skin Irritation 2, H315; Sensitization - Skin 1, H317	≥1-≤2.5%
8021-29-2	FIR NEEDLE OIL SIBERIAN ⚠️ Flammable Liquids 3, H226; ⚠️ Aspiration Hazard 1, H304; ⚠️ Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317	≥1-≤2.5%
68990-83-0	CEDARWOOD OIL TEXAS ⚠️ Aspiration Hazard 1, H304	≤2.5%
106-30-9	ETHYL HEPTOATE ⚠️ Flammable Liquids 3, H226	≤2.5%
1191-16-8	PRENYL ACETATE ⚠️ Flammable Liquids 3, H226	≤2.5%
67634-00-8	ALLYL AMYL GLYCOLATE ⚠️ Acute Toxicity - Oral 3, H301; ⚠️ Skin Irritation 2, H315; Flammable Liquids 4, H227	≤2.5%
68608-32-2	Cedarwood oil terpenes ⚠️ Aspiration Hazard 1, H304	≤2.5%
91-64-5	COUMARIN ⚠️ Acute Toxicity - Oral 3, H301; ⚠️ Sensitization - Skin 1, H317	≥0.1-<1%
106-24-1	geraniol ⚠️ Sensitization - Skin 1, H317	≥0.1-<1%
32388-55-9	VERTOFIX ⚠️ Sensitization - Skin 1, H317	≥0.1-<1%
5989-27-5	ORANGE TERPENES ⚠️ Flammable Liquids 3, H226; ⚠️ Aspiration Hazard 1, H304; ⚠️ Skin Irritation 2, H315; Sensitization - Skin 1B, H317	≥0.1-<1%
54464-57-2	ISO E SUPER ⚠️ Skin Irritation 2, H315; Sensitization - Skin 1, H317	≥0.1-<1%
8000-34-8	CLOVE OIL ⚠️ Aspiration Hazard 1, H304; ⚠️ Eye Irritation 2A, H319; Sensitization - Skin 1, H317	≥0.1-<1%

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 3)		
105-87-3	GERANYL ACETATE ⚠ Skin Irritation 2, H315; Sensitization - Skin 1, H317	≥0.1-<1%
2705-87-5	ALLYL CYCLOHEXYL PROPIONATE ⚠ Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; ⚠ Acute Toxicity - Inhalation 4, H332; Sensitization - Skin 1, H317	≥0.1-<1%
68039-49-6	TRIPLAL ⚠ Skin Irritation 2, H315; Sensitization - Skin 1, H317; Flammable Liquids 4, H227	≥0.1-<1%
23726-91-2	DAMASCONE BETA ⚠ Sensitization - Skin 1, H317	≥0.1-<1%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 4)

· Protective Action Criteria for Chemicals

· PAC-1:

120-51-4	BENZYL BENZOATE	5.7 mg/m ³
141-97-9	ETHYL ACETOACETATE	12 mg/m ³
91-64-5	COUMARIN	0.88 mg/m ³
5989-27-5	ORANGE TERPENES	15 ppm
140-11-4	BENZYL ACETATE	30 ppm
123-92-2	AMYL ACETATE	100 ppm
123-11-5	ANISIC ALDEHYDE	21 mg/m ³

· PAC-2:

120-51-4	BENZYL BENZOATE	63 mg/m ³
141-97-9	ETHYL ACETOACETATE	130 mg/m ³
91-64-5	COUMARIN	9.7 mg/m ³
5989-27-5	ORANGE TERPENES	67 ppm
140-11-4	BENZYL ACETATE	330 ppm
123-92-2	AMYL ACETATE	500 ppm
123-11-5	ANISIC ALDEHYDE	230 mg/m ³

· PAC-3:

120-51-4	BENZYL BENZOATE	380 mg/m ³
141-97-9	ETHYL ACETOACETATE	790 mg/m ³
91-64-5	COUMARIN	58 mg/m ³
5989-27-5	ORANGE TERPENES	170 ppm
140-11-4	BENZYL ACETATE	2,000 ppm
123-92-2	AMYL ACETATE	3000* ppm
123-11-5	ANISIC ALDEHYDE	300 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Store in a tightly sealed containers in a cool, dry place that is well ventilated. Away from heat, spark, and open flame.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Keep receptacle tightly sealed.

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 5)

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Liquid

Color: Clear colorless

- **Odor:** Characteristic

- **Odor threshold:** Not determined.

- **pH-value:** Not determined.

- **Change in condition**

Melting point/Melting range: Undetermined.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 6)

Boiling point/Boiling range:	84 °C (183.2 °F)
· Flash point:	82 °C (179.6 °F)
· Flammability (solid, gaseous):	Not applicable.
· Auto igniting:	480 °C (896 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Not determined.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 156 °C (312.8 °F):	6 hPa (4.5 mm Hg)
· Density at 20 °C (68 °F):	0.97815 g/cm ³ (8.16266 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	1.0 %
VOC content:	0.96 %
	9.4 g/l / 0.08 lb/gal
· Solids content:	3.1 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 7)

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

120-51-4 BENZYL BENZOATE

Dermal	LD50	4,000 mg/kg (rabbit)
--------	------	----------------------

78-70-6 LINALOOL

Dermal	LD50	5,610 mg/kg (rabbit)
--------	------	----------------------

106-30-9 ETHYL HEPTOATE

Dermal	LD50	>5,000 mg/kg (rabbit)
--------	------	-----------------------

- **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.

- **on the eye:** Irritating effect.

- **Sensitization:** Sensitization possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

91-64-5	COUMARIN	3
---------	----------	---

5989-27-5	ORANGE TERPENES	3
-----------	-----------------	---

140-11-4	BENZYL ACETATE	3
----------	----------------	---

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability:** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential:** No further relevant information available.

- **Mobility in soil:** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects:** No further relevant information available.

US

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 8)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number
· DOT, IMDG, IATA | not regulated |
| · UN proper shipping name
· DOT, IMDG, IATA | not regulated |
| · Transport hazard class(es)
· DOT, ADN, IMDG, IATA
· Class | not regulated |
| · Packing group
· DOT, IMDG, IATA | not regulated |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | not regulated |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

1222-05-5 GALAXOLIDE

- **TSCA (Toxic Substances Control Act):** All substances are active or exempt.

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 9)

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

140-11-4 BENZYL ACETATE

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

LINALOOL

HEXYL CINNAMIC ALDEHYDE

FIR NEEDLE OIL SIBERIAN

HEXYL SALICYLATE

COUMARIN

geraniol

VERTOFIX

ISO E SUPER

CLOVE OIL

GERANYL ACETATE

ALLYL CYCLOHEXYL PROPIONATE

TRIPLAL

DAMASCONE BETA

· **Hazard statements**

Combustible liquid.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

· **Precautionary statements**

Keep away from flames and hot surfaces. – No smoking.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 10)

Specific treatment (see on this label).
 If eye irritation persists: Get medical advice/attention.
 Wash contaminated clothing before reuse.
 In case of fire: Use CO₂, powder or water spray to extinguish.
 Store in a well-ventilated place. Keep cool.
 Dispose of contents/container in accordance with local/regional/national/international regulations.
 · **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Regulatory Department
- **Date of preparation / last revision** 08/14/2024 / -
- **Abbreviations and acronyms:**
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 Flammable Liquids 3: Flammable liquids – Category 3
 Flammable Liquids 4: Flammable liquids – Category 4
 Acute Toxicity - Oral 3: Acute toxicity – Category 3
 Acute Toxicity - Oral 4: Acute toxicity – Category 4
 Skin Irritation 2: Skin corrosion/irritation – Category 2
 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
 Sensitization - Skin 1: Skin sensitisation – Category 1
 Sensitization - Skin 1B: Skin sensitisation – Category 1B
 Aspiration Hazard 1: Aspiration hazard – Category 1
- *** Data compared to the previous version altered.**